

MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

AROMA OIL LAVENDER

DATE OF ISSUE: 09.01.2019

REVISION NO: 01

REVISION DATE: 20.12.2021

Form No: N17051608/01

1. PRODUCT AND SUPPLIER DESCRIPTION

1.1 Product Identifier:

| | |
|------------------|---|
| Trade Name | : AROMA OIL LAVENDER |
| Article Number | : 506201002301 |
| 1.2 Usage Area | : Not for personal use. Cinemas, conferences, gym, businesses, cafes, restaurant and shopping mall etc. are suitable for use. |
| Producer Company | : SİNYAL ELEKTRONİK VE KOZMETİK ÜRÜNLER SAN. PAZ. LTD. ŞTİ. |
| Address | : Birlik Org. San. Bölgesi Tem yan yolu 1 nolu cad. No: 4/2 Tuzla/İST. |
| Phone | : 0216 593 14 20 |
| Fax | : 0216 593 14 23 |
| E mail | : info@sinval.net |
| Web | : www.sinval.net |

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation
Skin Sens. 1 H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation

2.2 Label elements

Labelling according to Regulation (EC) No: The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

GHS09

Signal word

Warning

Hazard-determining components of labelling:

3,7-Dimethyl-1,6-octadien-3-ol
Alpha-n-hexylcinnamic aldehyde
Eucalyptus oil
6,6-dimethyl-2-methylenebicyclo(3,1,1)heptane
Ortho-hydroxycinnamic acid,lactone
2,6,6-Trimethylbicyclo(3,1,1)hept-2-ene

MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

AROMA OIL LAVENDER

DATE OF ISSUE: 09.01.2019

REVISION NO: 01

REVISION DATE: 20.12.2021

Form No: N17051608/01

Hazard statements

H315 Causes skin irritation..
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation
 H411 Toxic to aquatic life with long lasting effects..
 P261: Avoid breathing dust/fume/ gas/mist/vapours/spray.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P302 + P352 : IF ON SKIN: Wash with plenty of soap and water.
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310: Immediately call a POISON CENTER or doctor/physician.
 P333 + P313 : If skin irritation or rash occurs: Get medical advice/attention.
 P362: Take off contaminated clothing and wash before reuse.
 P391: Collect spillage.
 P405: Store locked up.
 P501: Dispose of contents/container to an approved waste disposal plant.

Precautionary statements**2.3 Other hazards****Results of PBT and vPvB assessment:****PBT:**

Not applicable.

vPvB:

Not applicable.

3. INFORMATION ON PRODUCT INGREDIENTS**Description:** Multi componentmixture.**Dangerous Componenets:**

| Quantity | CAS No. | Name | Classification according to Regulation 1272/2008: |
|----------|------------|--|---|
| 5-10% | 78-70-6 | 3,7-Dimethyl-1,6-octadien-3-ol | H319,H315 H317 |
| 5-10% | 32210-23-4 | Para-tert-butylcyclohexyl acetate | H411 |
| 5-10% | 115-95-7 | 3,7-Dimethyl-1,6-octadien-3-yl acetate | H319,H315 |
| 5-10% | 18479-58-8 | 2,6-Dimethyl-7-octen-2-ol | H315 H319 |
| 5-10% | 101-86-0 | Alpha-n-hexylcinnamic aldehyde | H317 |
| 1-5% | 1222-05-5 | Hexamethylindanopyran | H410 |
| 1-5% | 8000-48-4 | Eucalyptus oil | H226,H304,H315,H317,H411 |
| 1-5% | 127-91-3 | 6,6-dimethyl-2-methylenbicyclo(3,1,1)heptane | H304,H226,H315,H317 |
| 1-5% | 91-64-5 | Ortho-hydroxycinnamic acid,lactone | H302,H317,H373 |
| 1-5% | 76-22-2 | 1,7,7-Trimethylbicyclo(2.2.1)heptan-2-one | H332,H228,H371,H302 |
| 1-5% | 80-56-8 | 2,6,6-Trimethylbicyclo(3,1,1)hept-2-ene | H304,H226,H315,H317 |
| 1-5% | 81-14-1 | 3,5-Dinitro-2,6-dimethyl-4-tertbutylacetophenone | H351,H410 |
| 1-5% | 98-52-2 | 4-Tert-butylcyclohexanol | H319 |
| 0-1% | 5989-27-5 | D-limonene | H304,H315,H317,H410,H226 |
| 0-1% | 97-54-1 | 2-Methoxy-4-propenyl phenol | H312,H302,H319,H315,H317 |

Additional information: For the wording of the listed risk phrases refer to section 16.**4. FIRST AID MEASURES****4.1 Description of first aid measures:****After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If symptoms persist consult doctor.**4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

AROMA OIL LAVENDER

DATE OF ISSUE: 09.01.2019

REVISION NO: 01

REVISION DATE: 20.12.2021

Form No: N17051608/01

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, foam, dry chemical. Never use a direct water jet on burning material.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

Additional information: Cool endangered receptacles with water spray.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Particular danger of slipping on leaked/spilled product. Keep away from ignition sources. Wear protective clothing.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Clean the affected area carefully; suitable cleaners are: Warm water and cleansing agent. Organic solvent.

6.4 Reference to other sections: See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling: Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Store receptacle in a well ventilated area. Protect from humidity and water. Protect from exposure to the light. Store in a cool place.

7.3 Specific end use(s): No further relevant information available.

8. EXPOSURE / PERSONEL PROTECTION

Additional information about design of technical

facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves: The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

AROMA OIL LAVENDER

DATE OF ISSUE: 09.01.2019

REVISION NO: 01

REVISION DATE: 20.12.2021

Form No: N17051608/01

observed.

Eye protection: Goggles recommended during refilling**Body protection:** Protective work clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

| | |
|---|---|
| General Information | Clear, Liquid |
| Appearance: | |
| Form: | Liquid |
| Colour: | Very pale yellow to near colourless |
| Odour: | characteristic |
| Flash point: | 78°C |
| Self-igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Density at 25 °C: | 0,957-0,965 g/ml |
| Solubility in / Miscibility with | |
| Water: | not determined |
| Alcohols: | not determined |

9.2 Other information: No further relevant information available.

10. STABILITY AND CAPABILITY OF REACTIVITY

10.1 Reactivity : No further relevant information available.**10.2 Chemical stability:** Stable in standard conditions.**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.**10.3 Possibility of hazardous reactions:** It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.**10.4 Conditions to avoid:** Direct heat sources.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** Carbon Monoxide and Unidentified organic compounds may be formed during combustion.

11. TOXICOLOGICAL INFORMATION

The preparation as such has not been tested toxicologically. As it is virtually impossible to predict potential hazards to sensitive persons with the currently available application techniques or to anticipate perils which may be caused by an unpredictably powerful concentration of synergies, the preparation is to be considered and handled as it might generate other health hazards. Therefore, the preparation is to be handled with utmost care.

Primary irritant effect:**Skin corrosion/irritation** Causes skin irritation.**Serious eye damage/irritation** Causes serious eye irritation.**Respiratory or skin sensitisation** May cause an allergic skin reaction.**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1 Toxicity**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Toxic for fish**Additional ecological information:****General notes:** Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

AROMA OIL LAVENDER

DATE OF ISSUE: 09.01.2019

REVISION NO: 01

REVISION DATE: 20.12.2021

Form No: N17051608/01

Toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.**13. INFORMATION REGARDING THE DISPOSAL****13.1 Waste treatment methods:****Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**14. TRANSPORTATION INFORMATION****14.1 UN-Number**

ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name

ADR

IMDG


3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ()
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (), MARINE
POLLUTANT

IATA

Environmentally hazardous substance, liquid, n.o.s. ()

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class

9 Miscellaneous dangerous substances and articles.

Label

9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards

Marine pollutant

Product contains environmentally hazardous substances:

Special marking (ADR)

Symbol (fish and tree)

Special marking (IATA)

Symbol (fish and tree)

14.6 Special precautions for user

Danger code (Kemler)

Warning: Miscellaneous dangerous substances and articles.

EMS Number:

90

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

F-A,S-F

Transport/Additional information:

Not applicable.

ADR

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

-

IMDG

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (), 9, III

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of

lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of

upper-tier requirements 500 t

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

AROMA OIL LAVENDER

DATE OF ISSUE: 09.01.2019

REVISION NO: 01

REVISION DATE: 20.12.2021

Form No: N17051608/01

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.
H228 Flammable solid.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.
H371 May cause damage to organs
H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Recommended restriction of use:

This material is for industrial use only in household products, cosmetics, fragrances and fragranced products.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 3: Acute toxicity, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Repr. 2: Reproductive toxicity, Hazard Category 2
Asp. Tox. 1: Aspiration hazard, Hazard Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

Department issuing MSDS: Quality control department

Contact: Serkan Mutlu

Certificate No: GBF-A-0-2268