

# MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

## AROMA OIL BIG BOSS

DATE OF ISSUE: 12.01.2019

REVISION NO: 01

REVISION DATE: 09.02.2022

Form No: N17051210/02

### 1. PRODUCT AND SUPPLIER DESCRIPTION

#### 1.1 Product Identifier:

Trade Name	: AROMA OIL BIG BOSS
Article Number	: 506201010101
1.2 Usage Area	: Not for personal use. Cinemas, conferences, gym, businesses, cafes, restaurant and shopping mall etc. are suitable for use.
Producer Company	: SİNYAL ELEKTRONİK VE KOZMETİK ÜRÜNLER SAN. PAZ. LTD. ŞTİ.
Address	: Birlik Org. San. Bölgesi Tem yan yolu 1 nolu cad. No: 4/2 Tuzla/İST.
Phone	: 0216 593 14 20
Fax	: 0216 593 14 23
E mail	: <a href="mailto:info@sinyal.net">info@sinyal.net</a>
Web	: <a href="http://www.sinyal.net">www.sinyal.net</a>

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

. Labelling according to Regulation (EC) No

1272/2008 The product is classified and labelled according to the CLP regulation.

. Hazard pictograms



GHS07



GHS09

. Signal word

Warning

Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

Acetyl cedrene

Linalool

Linalyl acetate

. Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

. Precautionary statements

P280 Wear protective gloves.

P273 Avoid release to the environment.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

. Results of PBT and vPvB assessment

. PBT: Not applicable.

. vPvB: Not applicable.

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL BIG BOSS**

DATE OF ISSUE: 12.01.2019

REVISION NO: 01

REVISION DATE: 09.02.2022

Form No: N17051210/02

**3. INFORMATION ON PRODUCT INGREDIENTS****Description:** Multi component mixture.**Dangerous components**

CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Skin Sens. 1, H317	%10-15
CAS: 32388-55-9 EINECS: 251-020-3	Acetyl cedrene Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317	%5-10
CAS: 1222-05-5 EINECS: 214-946-9 AT - numarası: 603-212-00-7	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran Aquatic Acute 1, H400; Aquatic Chronic 1, H410	%5-10
CAS: 88-41-5 EINECS: 201-828-7	2-tert-Butylcyclohexyl acetate Aquatic Chronic 2, H411	%2,5-5
CAS: 18479-58-8 EINECS: 242-362-4	2,6-dimethyloct-7-en-2-ol Skin Irrit. 2, H315, Eye Irrit. 2, H319	%2,5-5
CAS: 78-70-6 EINECS: 201-134-4	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	%1-2,5
CAS: 115-95-7 EINECS: 204-116-4	Linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	%0,1-1
CAS: 1205-17-0 EINECS: 214-881-6	alpha-methyl-1,3-benzodioxole-5-propionaldehyde Repr. 2, H361; Aquatic Chronic 2, H411; Skin Sens. 1, H317	%0,1-1
CAS: 93455-97-1 EINECS: 297-385-2	Lavandin oil grosso Eye Dam. 1, H318; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	%0,1-1
CAS: 5462-06-6 EINECS: 226-749-5	4-Methoxy-alpha-methylbenzenepropanal Skin Sens. 1B, H317	%0,1-1

. **Additional information:** For the wording of the listed hazard phrases refer to section 16.**4. FIRST AID MEASURES****4.1 Description of first aid measures:****After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If symptoms persist consult doctor.**4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.**5. FIRE FIGHTING MEASURES****5.1 Extinguishing media****Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.CO<sub>2</sub>, foam, dry chemical.

Never use a direct water jet on burning material.

**5.2 Special hazards arising from the substance or mixture:** No further relevant information available.**5.3 Advice for firefighters:****Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

**Additional information:** Cool endangered receptacles with water spray.**6. ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Keep away from ignition sources.

Wear protective clothing.

**6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Clean the affected area carefully; suitable cleaners are:

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL BIG BOSS**

DATE OF ISSUE: 12.01.2019

REVISION NO: 01

REVISION DATE: 09.02.2022

Form No: N17051210/02

Warm water and cleansing agent  
Organic solvent**6.4 Reference to other sections**See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See section 13 for disposal information**7. HANDLING AND STORAGE****7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.. **Information about fire - and explosion protection:** No special requirements.**7.2 Conditions for safe storage, including any incompatibilities**. **Storage:**. **Requirements to be met by storerooms and****receptacles:** No special requirements.. **Information about storage in one common storage****facility:** Not required.. **Further information about storage conditions:**

- Protect from heat and direct sunlight.
- Store receptacle in a well ventilated area.
- Protect from humidity and water.
- Protect from exposure to the light.
- Store in a cool place.

**7.3 Specific end use(s)** No further relevant information available.**8. EXPOSURE / PERSONEL PROTECTION****Additional information about design of technical****facilities:** No further data; see item 7.**8.1 Control parameters****Ingredients with limit values that require****monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.**DNELs**

54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone

Dermal DNEL Acute Local 0.1011 mg/cm<sup>2</sup> (workers)Inhalative DNEL Chronic Systemic 1.76 mg/m<sup>3</sup> (workers)**Additional information:** The lists valid during the making were used as basis..**8.2 Exposure controls****Personal protective equipment:****General protective and hygienic measures:**Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not eat or drink while working.**Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.**Protection of hands:**Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves:** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in

advance and has therefore to be checked prior to the application.

**Penetration time of glove material:** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.**Eye protection:** Goggles recommended during refilling**Body protection:** Protective work clothing.**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties:****General Information****Appearance:****Form:**

Clear, Liquid

**Colour:**

Colorless to very pale yellow

**Odour:**

Oriental, Woody

**Flash point:**

96°C

**Auto-ignition temperature:**

Product is not selfigniting.

**Explosive properties:**

Product does not present an explosion hazard

**Density at 25 °C:**0.982 - 0.992 g/cm<sup>3</sup>**Solubility in / Miscibility with****Water:**

Fully miscible.

**Alcohols:**

Fully miscible.

**9.2 Other information:** No further relevant information available.

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL BIG BOSS**

DATE OF ISSUE: 12.01.2019

REVISION NO: 01

REVISION DATE: 09.02.2022

Form No: N17051210/02

**10. STABILITY AND CAPABILITY OF REACTIVITY****10.1 Reactivity** : No further relevant information available.**10.2 Chemical stability:** Stable in standard conditions.**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.**10.3 Possibility of hazardous reactions:** It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.**10.4 Conditions to avoid:** Direct heat sources.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** Carbon Monoxide and Unidentified organic compounds may be formed during combustion.**11. TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**. **Acute toxicity** Based on available data, the classification criteria are not met.. **LD/LC50 values relevant for classification:****54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone**

Oral LD50 5000 mg/kg (rat)

Dermal LD50 5000 mg/kg (rat)

**32388-55-9 Acetyl cedrene**

Oral LD50 4500 mg/kg

Dermal LD50 &gt;2000 mg/kg (rat)

**1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran**

Oral LD50 &gt;4640 mg/kg (rat)

Dermal LD50 &gt;6500 mg/kg (rat)

**88-41-5 2-tert-Butylcyclohexyl acetate**

Oral LD50 4600 mg/kg (rat)

Dermal LD50 5000 mg/kg (rabbit)

. **Primary irritant effect:**. **Skin corrosion/irritation** Causes skin irritation.. **Serious eye damage/irritation** Based on available data, the classification criteria are not met.. **Respiratory or skin sensitisation** May cause an allergic skin reaction.. **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**. **Germ cell mutagenicity** Based on available data, the classification criteria are not met.. **Carcinogenicity** Based on available data, the classification criteria are not met.. **Reproductive toxicity** Based on available data, the classification criteria are not met.. **STOT-single exposure** Based on available data, the classification criteria are not met.. **STOT-repeated exposure** Based on available data, the classification criteria are not met.. **Aspiration hazard** Based on available data, the classification criteria are not met.**12. ECOLOGICAL INFORMATION****12.1 Toxicity****54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone**

EC50 48h 1.38 mg/l (daphnia)

EC50 72h 2.6 mg/l (alg)

LC50 96h 1.3 mg/l (fish)

NOEC 42 h &gt;100 mg/l (bacteria)

NOEC 30 d 0.16 mg/l (fish)

NOEC 21 d 0.028 mg/l (daphnia)

**32388-55-9 Acetyl cedrene**

LC50 96h mg/l (fish)

**1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran**

EC50 48h 0.9 mg/l (daphnia)

ErC50 72h &gt;0.854 mg/l (alg)

EbC50 72h &gt;0.723 mg/l (alg)

LC50 21d 0.452 mg/l (fish)

NOEC 21 d 0.111 mg/l (daphnia)

**88-41-5 2-tert-Butylcyclohexyl acetate**

EC50 48h 23.4 mg/l (daphnia)

LC50 48h 14.9 mg/l (fish)

LC50 72h 17 mg/l (alg)

**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.. **Ecotoxic effects:**. **Remark:** Toxic for fish. **Additional ecological information:**. **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

**12.5 Results of PBT and vPvB assessment**. **PBT:** Not applicable.. **vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL BIG BOSS**

DATE OF ISSUE: 12.01.2019

REVISION NO: 01

REVISION DATE: 09.02.2022

Form No: N17051210/02

**13. INFORMATION REGARDING THE DISPOSAL****13.1 Waste treatment methods:****Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**14. TRANSPORTATION INFORMATION****14.1 UN-Number**

. ADR, IMDG, IATA

UN3082

**14.2 UN proper shipping name**

. ADR

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetyl cedrene)

. IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetyl cedrene), MARINE POLLUTANT

. IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Acetyl cedrene)

**14.3 Transport hazard class(es)**

. ADR, IMDG, IATA



. Class

9 Miscellaneous dangerous substances and articles.

. Label

9

**14.4 Packing group**

. ADR, IMDG, IATA

III

**14.5 Environmental hazards:****Marine pollutant:**

Symbol (fish and tree)

. Special marking (ADR):

Symbol (fish and tree)

. Special marking (IATA):

Symbol (fish and tree)

**14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.

. Danger code (Kemler):

90

. EMS Number:

F-A,S-F

. Stowage Category

A

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

. Transport/Additional information:

. ADR

. Limited quantities (LQ)

5L

. Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

3

. Transport category

. IMDG

. Limited quantities (LQ)

5L

. Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

. UN "Model Regulation":

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE, ACETYL CEDRENE), 9, III

**15. REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

. Directive 2012/18/EU

. Named dangerous substances - ANNEX I None of the ingredients is listed.

. Seveso category E2 Hazardous to the Aquatic Environment

. Qualifying quantity (tonnes) for the application of

lower-tier requirements 200 t

. Qualifying quantity (tonnes) for the application of

upper-tier requirements 500 t

. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

## AROMA OIL BIG BOSS

DATE OF ISSUE: 12.01.2019

REVISION NO: 01

REVISION DATE: 09.02.2022

Form No: N17051210/02

### 16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### . Relevant phrases

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

. **Recommended restriction of use** This material is for industrial use only in household products, cosmetics, fragrances and fragranced products. Our products are Inedible and are not used for food production.

#### . Classification according to Regulation (EC) No

**1272/2008** The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

#### . Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Repr. 2: Reproductive toxicity – Category 2  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**Department issuing MSDS:** Quality control department

**Contact:** Serkan Mutlu

**Certificate No:** GBF-A-0-2268