

# MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

## AROMA OIL DARK SAPPHIRE-B

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

### 1. PRODUCT AND SUPPLIER DESCRIPTION

#### 1.1 Product Identifier:

Trade Name	: AROMA OIL DARK SAPPHIRE-B
Article Number	: 506201021202
1.2 Usage Area	: Not for personal use. Cinemas, conferences, gym, businesses, cafes, restaurant and shopping mall etc. are suitable for use.
Producer Company	: SİNYAL ELEKTRONİK VE KOZMETİK ÜRÜNLER SAN. PAZ. LTD. ŞTİ.
Address	: Birlik Org. San. Bölgesi Tem yan yolu 1 nolu cad. No: 4/2 Tuzla/İST.
Phone	: 0216 593 14 20
Fax	: 0216 593 14 23
E mail	: <a href="mailto:info@sinyal.net">info@sinyal.net</a>
Web	: <a href="http://www.sinyal.net">www.sinyal.net</a>

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

Labelling according to Regulation (EC) No1272/2008 The product is classified and labelled according to the CLP regulation.

#### . Hazard pictograms



GHS07

GHS09

#### Signal word

#### . Hazard-determining components of labelling:

Warning  
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone (CAS: 54464-57-2)  
Linalyl acetate (CAS: 115-95-7)  
Linalool (CAS: 78-70-6)  
Formaldehyde cyclododecyl ethyl acetal(CAS: 58567-11-6)

#### . Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H410 Very toxic to aquatic life with long lasting effects.

#### . Precautionary statements

P273 Avoid release to the environment.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL DARK SAPPHIRE-B**

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

**2.3 Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.  
**vPvB:** Not applicable.

**3. INFORMATION ON PRODUCT INGREDIENTS****Description:** Multi component mixture.**Dangerous Component:**

CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	13,5-18%
CAS: 319002-92-1 ELINCS: 437-530-0	propyl(2S)-2-[(2-methyl-2-butanyl)oxy]propanoate Aquatic Chronic 3, H412	2,25-4,5%
CAS: 85085-41-2 EINECS: 285-370-3	Cedarwood oil Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	2,25-4,5%
CAS: 84238-39-1 EINECS: 282-493-4	Patchouli oil Asp. Tox. 1, H304; Aquatic Chronic 2, H411	2,25-4,5%
CAS: 115-95-7 EINECS: 204-116-4	Linalyl acetate Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	1,125-2,25%
CAS: 1222-05-5 EINECS: 214-946-9 AT - numarası: 603-212-00-7	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1,125-2,25%
CAS: 78-70-6 EINECS: 201-134-4 AT - numarası: 603-235-00-2	Linalool Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	1,125-2,25%
CAS: 58567-11-6 EINECS: 261-332-1	Formaldehyde cyclododecyl ethyl acetal Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	1,125-2,25%
CAS: 89958-10-1 EINECS: 289-632-8	Guaiacwood oil Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	0,45-1,125%
CAS: 19870-74-7 EINECS: 243-384-7	Cedrol methyl ether Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	0,45-1,125%
CAS: 65113-99-7 EINECS: 265-453-0	5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol Aquatic Chronic 2, H411; Eye Irrit. 2, H319	0,45-1,125%
CAS: 14901-07-6 EINECS: 238-969-9	beta-Ionone Aquatic Chronic 2, H411	0,45-1,125%
CAS: 104-50-7 EINECS: 203-208-1	gamma-Octalactone Skin Irrit. 2, H315	0,45-1,125%
CAS: 139504-68-0 ELINCS: 412-300-2 AT - numarası: 603-154-00-2	1-[(2-tert-bütil)sikloheksiloksij]-2-bütanol Aquatic Chronic 2, H411	0,45-1,125%
CAS: 67674-46-8 EINECS: 266-885-2	6,6-Dimethoxy-2,5,5-trimethylhex-2-ene Skin Irrit. 2, H315; Aquatic Chronic 3, H412	0,45-1,125%
CAS: 97-53-0 EINECS: 202-589-1	Eugenol Eye Irrit. 2, H319; Skin Sens. 1B, H317	0,45-1,125%
CAS: 475-20-7 EINECS: 207-491-2	4,8,8-Trimethyl-9-methylenedecahydro-1,4-methanoazulene Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1B, H317	0,045-0,45%
CAS: 8000-48-4 EINECS: 283-406-2	Eucalyptus globulus oil Flam. Liq. 3, H226; Repr. 2, H361; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	0,045-0,45%
CAS: 104-55-2 EINECS: 203-213-9	cinnamaldehyde Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	0,045-0,45%
CAS: 91-64-5 EINECS: 202-086-7	Coumarin Acute Tox. 4, H302; Skin Sens. 1B, H317	0,045-0,45%
CAS: 57378-68-4 EINECS: 260-709-8	delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	0,045-0,45%
CAS: 8016-96-4 EINECS: 282-490-8	Vetiver oil Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	0,045-0,45%

**Additional information:** For the wording of the listed risk phrases refer to section 16.**4. FIRST AID MEASURES****4.1 Description of first aid measures:****After inhalation:** Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

# MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

## AROMA OIL DARK SAPPHIRE-B

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

**After eye contact:** Rinse opened eye for several minutes under running water.

**After swallowing:** If symptoms persist consult doctor.

**4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

## 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing agents:** CO<sub>2</sub>, foam, dry chemical. Never use a direct water jet on burning material.

**5.2 Special hazards arising from the substance or mixture:** No further relevant information available.

### 5.3 Advice for firefighters:

**Protective equipment:** Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

**Additional information:** Cool endangered receptacles with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Keep away from ignition sources.

Wear protective clothing.

**6.2 Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Organic solvent

**6.4 Reference to other sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See section 13 for disposal information

## 7. HANDLING AND STORAGE

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage:**

**Requirements to be met by storerooms and**

**receptacles:** No special requirements.

**Information about storage in one common storage**

**facility:** Not required.

**Further information about storage conditions:**

Store receptacle in a well ventilated area.

Protect from humidity and water.

Protect from exposure to the light.

Store in a cool place.

**7.3 Specific end use(s)** No further relevant information available

## 8. EXPOSURE / PERSONEL PROTECTION

**Additional information about design of technical**

**facilities:** No further data; see item 7.

### 8.1 Control parameters

**Ingredients with limit values that require**

**monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**D N E L s**

**54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone**

Dermal DNEL Acute Local 0.1011 mg/cm<sup>2</sup> (workers)

Inhalative DNEL Chronic Systemic 1.76 mg/m<sup>3</sup> (workers)

**Additional information:** The lists valid during the making were used as basis..

### 8.2 Exposure controls

**Personal protective equipment:**

**General protective and hygienic measures:**

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

**Respiratory protection:** In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL DARK SAPPHIRE-B**

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves:** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material:** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling

**Body protection:** Protective work clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties****. General Information****Appearance:**

**Form:** Clear, Liquid

**Colour:** Colorless to very pale yellow

**. Odour:** Woody, Amber, Musk

**. Flash point:** >100°C

**. Auto-ignition temperature:** Product is not selfigniting.

**. Explosive properties:** Product does not present an explosion hazard.

**. Density at 25 °C:** 0.950-0.970 g/cm<sup>3</sup>

**. Solubility in / Miscibility with**

**water:** Fully miscible.

**. alcohols:** Fully miscible.

**9.2 Other information** No further relevant information available.

**10. STABILITY AND CAPABILITY OF REACTIVITY**

**10.1 Reactivity** : No further relevant information available.

**10.2 Chemical stability:** Stable in standard conditions.

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions:** It presents no significant reactivity hazards, by itself or in contact with water. Avoid contact with strong acids, alkali or oxidizing agents.

**10.4 Conditions to avoid:** Direct heat sources.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** Carbon Monoxide and Unidentified organic compounds may be formed during combustion.

**11. TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

**. Acute toxicity** Based on available data, the classification criteria are not met.

**. LD / LC 50 values relevant for classification:**

**54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone**

Oral LD50 5000 mg/kg (rat)

Dermal LD50 5000 mg/kg (rat)

**84238-39-1 Patchouli oil**

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

**1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran**

Oral LD50 >4640 mg/kg (rat)

Dermal LD50 >6500 mg/kg (rat)

**58567-11-6 Formaldehyde cyclododecyl ethyl acetal**

Oral LD50 >2000 mg/kg (rat)

**65113-99-7 5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol**

Oral LD50 >6750 mg/kg (rat)

**14901-07-6 beta-Ionone**

Oral LD50 4590 mg/kg (rat)

**475-20-7 4,8,8-Trimethyl-9-methylenedecahydro-1,4-methanoazulene**

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 >5000 mg/kg (rabbit)

**57378-68-4 delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one**

Oral LD50 1400 mg/kg (mouse)

Dermal LD50 >5000 mg/kg (rabbit)

**. Primary irritant effect:**

**. Skin corrosion/irritation** Causes skin irritation.

**. Serious eye damage/irritation** Causes serious eye irritation.

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL DARK SAPPHIRE-B**

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

- . Respiratory or skin sensitisation May cause an allergic skin reaction.
- . CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

**12. ECOLOGICAL INFORMATION****12.1 Toxicity****. Aquatic toxicity :****54464-57-2 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone**

EC50 48h 1.38 mg/l (daphnia)

EC50 72h 2.6 mg/l (alg)

LC50 96h 1.3 mg/l (fish)

NOEC 42 h &gt;100 mg/l (bacteria)

NOEC 30 d 0.16 mg/l (fish)

NOEC 21 d 0.028 mg/l (daphnia)

**1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran**

EC50 48h 0.9 mg/l (daphnia)

ErC50 72h &gt;0.854 mg/l (alg)

EbC50 72h &gt;0.723 mg/l (alg)

LC50 21d 0.452 mg/l (fish)

NOEC 21 d 0.111 mg/l (daphnia)

**58567-11-6 Formaldehyde cyclododecyl ethyl acetal**

LC50 96h &gt;100 mg/l (fish)

**65113-99-7 5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol**

EC50 48h 1.1 mg/l (daphnia)

LC50 96h 2.3 mg/l (fish)

**14901-07-6 beta-Ionone**

EC50 48h 1.641 mg/l (daphnia)

ErC50 72h 3.233 mg/l (alg)

LC50 96h 2.572 mg/l (fish)

**57378-68-4 delta-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one**

ErC50 72h 4.54 mg/l (alg)

EbC50 72h 2.47 mg/l (alg)

LC50 96h 0.97 mg/l (fish)

NOEC 0.883 mg/l (alg)

NOEC 21 d 0.35 mg/l (daphnia)

. **12.2 Persistence and degradability** No further relevant information available.. **12.3 Bioaccumulative potential** No further relevant information available.. **12.4 Mobility in soil** No further relevant information available.**. Ecotoxic effects:**. **Remark:** Toxic for fish**. Additional ecological information:**. **General notes:** Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

**. 12.5 Results of PBT and vPvB assessment**. **PBT:** Not applicable.. **vPvB:** Not applicable.. **12.6 Other adverse effects** No further relevant information available.**13. INFORMATION REGARDING THE DISPOSAL****13.1 Waste treatment methods:****Recommendation:** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.**14. TRANSPORTATION INFORMATION****14.1 UN-Number**. **ADR, IMDG, IATA**

UN3082

**14.2 UN proper shipping name**. **ADR**

3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Cedarwood oil)

. **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Cedarwood oil), MARINE POLLUTANT

. **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Cedarwood oil)

**MATERIAL SAFETY DATA SHEET**

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

**AROMA OIL DARK SAPPHIRE-B**

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

14.3 Transport hazard class(es)  
. ADR, IMDG, IATA

. Class	9 Miscellaneous dangerous substances and articles.
. Label	9
. 14.4 Packing group	III
. ADR, IMDG, IATA	
. 14.5 Environmental hazards:	
. Marine pollutant:	Symbol (fish and tree)
. Special marking (ADR):	Symbol (fish and tree)
. Special marking (IATA):	Symbol (fish and tree)
. 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
. Danger code (Kemler):	90
. EMS Number:	F-A,S-F
. Stowage Category	A
. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
. Transport/Additional information:	
. ADR	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
. Transport category	3
. IMDG	
. Limited quantities (LQ)	5L
. Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
. UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHALENYL)ETHANONE, CEDARWOOD OIL), 9, III

**15. REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- . Directive 2012/18/EU
- . Named dangerous substances - ANNEX I None of the ingredients is listed.
- . Seveso category E2 Hazardous to the Aquatic Environment
- . Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- . Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- . REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**16. OTHER INFORMATION**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**. Relevant phrases**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

. Recommended restriction of use This material is for industrial use only in household products, cosmetics, fragrances and fragranced products.  
Our products are Inedible and are not used for food production.

. Classification according to Regulation (EC) No1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**. Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

SİNYAL ELEKTRONİK VE KOZMETİK ÜRÜNLER SAN. PAZ. LTD. ŞTİ.

# MATERIAL SAFETY DATA SHEET

According to Commission Regulation (EU) 2015/830, Amending Regulation (EC) No 1907/2006

## AROMA OIL DARK SAPPHIRE-B

DATE OF ISSUE: 11.06.2018

REVISION NO: 02

REVISION DATE: 21.02.2022

Form No: N18051106/02

IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity - dermal – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Repr. 2: Reproductive toxicity – Category 2  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**Department issuing MSDS:** Quality control department

**Contact:** Serkan Mutlu

**Certificate No:** GBF-A-0-2268